

Product data sheet

Specifications



Cable passage IP65 w/o connectors, 29 entries.

NSYTSA2429SE

⚠ Discontinued on: Dec 31, 2022

⚠ End-of-service on: Dec 31, 2024

⚠ Discontinued

Product availability: Non-Stock - Not normally stocked in distribution facility

Main

Range	PanelSeT
Product or Component Type	Quick entrance plate
Accessory / separate part category	Cable management accessory
Device Application	Multi-purpose
Range compatibility	PanelSeT S3D compact enclosure PanelSeT CRN compact enclosure PanelSeT S3CM control enclosure PanelSeT SBM industrial box PanelSeT PLA suitable enclosure PanelSeT PHD suitable enclosure PanelSeT PLM compact enclosure PanelSeT PLS insulating modular box PanelSeT S3HD compact enclosure
Device composition	1 fixing elements 1 plate
Quantity per Set	Set of 1

Complementary

Mounting Support	Body of enclosure Cable gland plate
Material	polyamide
Fixing mode	By fixing element
Total cable entry number	29
Cable entry number	29 x 0.1...0.3 in (3...6.5 mm)
Height	Real: 0.6 in (14 mm)
Width	Real: 5.7 in (146 mm) Cut-out: 4.4 in (112 mm) Fixing center: 5.1 in (130 mm)
Depth	Real : 2.3 in (58 mm) Cut-out : 1.4 in (36 mm) Fixing centre : 1.3 in (32 mm)
Net Weight	0.35 lb(US) (0.16 kg)

Environment

IP degree of protection	IP65
-------------------------	------

Ordering and shipping details

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Category	US10ES180036
Discount Schedule	0ES1
GTIN	3606480168208
Returnability	No
Country of origin	FR

Packing Units

Unit Type of Package 1	PCE
Nbr. of units in pkg.	1
Package 1 Height	1.378 in (3.500 cm)
Package 1 Width	3.150 in (8.000 cm)
Package 1 Length	6.693 in (17.000 cm)
Package weight(Lbs)	5.220 oz (148.000 g)
Unit Type of Package 2	P12
Number of Units in Package 2	200
Package 2 Height	14.567 in (37.000 cm)
Package 2 Width	31.496 in (80.000 cm)
Package 2 Length	47.244 in (120.000 cm)
Package 2 Weight	108.027 lb(US) (49.000 kg)

Contractual warranty

Warranty (in months)	18
----------------------	----



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)



Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

Use Better



Materials and Substances

Packaging made with recycled cardboard

No

Packaging without single use plastic

No

SCIP Number

73e923a6-870d-4d0d-9a27-5e8c9bbeb14d

EU RoHS Directive

[Compliant By Exemption](#)

Use Longer



Lifetime extension

Repair

No

Use Again



Repack and remanufacture

Circularity Profile

No need of specific recycling operations

Take-back

No